

MATERIAL SAFETY DATA SHEET  
**PASTE WAX**

Page : 1

**SLUYTER COMPANY LTD.**

375 Steelcase Road East  
Markham, Ontario L3R 1G3 Canada  
Tel (905) 475-6011 Fax (905) 475-3119

**SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

MANUFACTURER-----SLUYTER COMPANY LTD.  
375 Steelcase Road East  
Markham, Ontario L3R 1G3  
Canada  
Tel (905) 475-6011  
PRODUCT NAME-----PASTE WAX.  
PRODUCT USES-----Polish.  
CHEMICAL FAMILY-----Hydrocarbon based blend.

**SECTION 02: COMPOSITION / INFORMATION ON INGREDIENTS**

INGREDIENTS ./ %	CAS / TLV	LD/50, ROUTE, SPECIES	LC/50, ROUTE, SPECIES
PETROLEUM DISTILLATES			
40 - 75	64741-65-7 Not Available	> 8000 mg/kg Oral (Rat)	>5900 mg/kg 4 Hours Inhalation (Rat)

**SECTION 03: HAZARDS IDENTIFICATION**

ROUTE OF ENTRY:-----  
SKIN CONTACT-----Can cause moderate skin irritation,  
defatting and dermatitis.  
SKIN ABSORPTION-----Not available.  
INHALATION-----See "EFFECTS OF CHRONIC EXPOSURE", below.  
INHALATION CHRONIC-----Breathing of high vapour concentrations  
could cause dizziness, headache or even unconsciousness.  
INGESTION-----Can cause gastro-intestinal irritation,  
nausea, vomiting and diarrhea. Small  
amounts of liquid aspirated into  
respiratory system could cause severe  
health effects. (e.g. Bronchopneumonia or Pulmonary Edema)  
EYE CONTACT-----Contains materials that are moderately  
irritating to the eyes.  
EFFECTS OF ACUTE EXPOSURE-----Refer to "ROUTE ENTRY" section.  
EFFECTS OF CHRONIC EXPOSURE-----Prolonged or repeated skin contact may  
cause drying or cracking of the  
skin. Product is believed to have low  
toxicity for other chronic exposures.

**SECTION 04: FIRST AID MEASURES**

EYE CONTACT-----Check for and remove any contact lenses.  
Immediately flush with water for a minimum  
of 20 minutes and get medical attention.  
SKIN CONTACT-----Remove contaminated clothing. Wash  
affected area with water and soap. Seek  
medical attention if irritation occurs or persists.  
INHALATION-----Remove patient to fresh air. If not  
breathing, trained personnel should  
administer artificial respiration. Get  
medical attention.

Ref: 0000303E

Preparation Date : May.07.2015

**EMERGENCY - CALL CANUTEC (613) 996-6666 (Collect)**

MATERIAL SAFETY DATA SHEET  
**PASTE WAX**

Page : 2

INGESTION-----Get immediate medical attention.  
ADDITIONAL INFORMATION-----Contact your local poison control centre.

**SECTION 05: FIRE FIGHTING MEASURES**

FLAMMABILITY-----Combustible.  
SPECIAL PROCEDURES-----A self-contained breathing apparatus is required for fire fighting personnel. Use water spray to cool fire exposed surfaces and to protect personnel.  
FLASH POINT (METHOD)-----42°C TAG Closed Cup (Concentrate).  
AUTO IGNITION TEMPERATURE-----227°C.  
UPPER FLAMMABLE LIMIT (% VOL)-----6.0.  
LOWER FLAMMABLE LIMIT (% VOL)-----1.1.  
EXTINGUISHING MEDIA-----Alcohol foam, CO2 or dry chemical.  
HAZARDOUS COMBUSTION PRODUCTS-----Oxides of Carbon (CO, CO2). Smoke. Toxic fumes.  
SENSITIVITY TO MECHANICAL-----Not available.  
IMPACT  
SENSITIVITY TO STATIC-----Not available.  
DISCHARGE

**SECTION 06: ACCIDENTAL RELEASE MEASURES**

LEAK/SPILL-----Ventilate. Remove all sources of ignition, open flames, sparks and heaters. Wear protective gear (See SECTION 8). Small spills can be wiped. Large spills must be collected for disposal. Use a non-combustible absorbent inorganic material. Prevent run-off into drains, sewers and other waterways. CAUTION: Surfaces may be slippery after use, clean thoroughly with a mineral spirits based cleaner.

**SECTION 07: HANDLING AND STORAGE**

HANDLING PROCEDURES-----Avoid skin and eye contact. Avoid breathing vapours. Use adequate ventilation. Keep away from heat, sparks and open flame.  
STORAGE NEEDS-----Store away from oxidizing materials and all sources of ignition,. Store in a dry, well ventilated area.

**SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION**

PROTECTIVE EQUIPMENT:-----  
EYE/TYPE-----Safety glasses.  
RESPIRATORY/TYPE-----If used indoors on a continuous basis or if the TLV is exceeded, the use of a cartridge type respirator (NIOSH/MSHA approved) is recommended.  
GLOVES/ TYPE-----Wear impervious gloves (Neoprene or Rubber).  
CLOTHING/TYPE-----Not applicable.  
FOOTWEAR/TYPE-----Not applicable.  
OTHER/TYPE-----Eye bath and safety shower.  
VENTILATION REQUIREMENTS-----Natural or mechanical (Explosion Proof) ventilation to keep vapour levels well below the TLV.

MATERIAL SAFETY DATA SHEET  
**PASTE WAX**

Page : 3

**SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE-----Paste.  
ODOUR-----Mild odour.  
SPECIFIC GRAVITY-----0.70 - 0.80.  
ODOUR THRESHOLD (ppm)-----Not available.  
VAPOUR PRESSURE-----115 mmHg @ 38°C.  
VAPOUR DENSITY (AIR=1)-----Not available.  
EVAPORATION RATE----- >1 (NBUAC = 1).  
BOILING POINT (deg C)-----150°C - 200°C.  
pH-----Not applicable.  
SOLUBILITY IN WATER (% W/W)-----Negligible.  
COEFFICIENT OF WATER\OIL-----Not available.  
DISTRIBUTION  
FREEZING POINT----- <-5°C.  
MELTING POINT (deg C)-----Not applicable.  
MOLECULAR WEIGHT-----Not applicable.

**SECTION 10: STABILITY AND REACTIVITY**

INCOMPATIBILITY-----Strong acids and strong bases. Oxidizing  
agents.  
REACTIVITY CONDITIONS-----Thermal.  
HAZARDOUS PRODUCTS OF-----Oxides of Carbon (CO and CO2).  
DECOMPOSITION

**SECTION 11: TOXICOLOGICAL INFORMATION**

EXPOSURE LIMIT OF MATERIAL-----See "HAZARDOUS INGREDIENTS" in SECTION 2.  
IRRITANCY OF MATERIAL-----Moderate.  
SENSITIZING CAPABILITY OF-----Not available.  
MATERIAL  
CARCINOGENICITY OF MATERIAL-----No ingredients are listed as a carcinogen  
by NIOSH, IARC and ACGIH. No information is  
available and no adverse carcinogenic  
effects are anticipated.  
TERATOGENICITY-----No information is available and no adverse  
teratogenicity effects are anticipated.  
MUTAGENICITY-----No information is available and no adverse  
mutagenicity effects are anticipated.  
REPRODUCTIVE EFFECTS-----No information is available and no adverse  
reproductive effects are anticipated.  
SYNERGISTIC MATERIALS-----Not available.

**SECTION 12: ECOLOGICAL INFORMATION**

ENVIRONMENTAL-----Not available. Can be dangerous if allowed  
to enter drinking water intakes. Product  
has an unaesthetic appearance and can be a  
nuisance. Do not contaminate domestic or  
irrigation water supplies, lakes, streams,  
ponds and rivers.  
BIODEGRADABILITY-----Not available. The solvent portion of this  
product is biodegradable and vaporizes rapidly.

MATERIAL SAFETY DATA SHEET  
**PASTE WAX**

Page : 4

**SECTION 13: DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL-----Consult an expert in hazardous waste for proper disposal. Prevent run-off into drains, sewers and other water-ways. To be disposed of in accordance with current Local, Provincial and Federal regulations.

**SECTION 14: TRANSPORT INFORMATION**

T.D.G. CLASSIFICATION-----Not regulated.

**SECTION 15: REGULATORY INFORMATION**

CPR COMPLIANCE-----This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.  
WHMIS CLASSIFICATION-----Class B Div.3 Class D Div.2 Subdiv.B.

**SECTION 16: OTHER INFORMATION**

IMPORTANT:-----The information on this Material Safety Data Sheet is furnished without warranty, expressed or implied. All the information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations for the accuracy or sufficiency.