

PRODUCT : PASTE WAX

SECTION 01 : CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER.....SLUYTER COMPANY LTD.  
 375 Steelcase Road East  
 Markham, Ontario L3R 1G3  
 Canada  
 Tel (905) 475-6011  
 Emergency # Call CANUTEC (613) 996-6666  
 PREPARATION DATE.....MAY 29/09  
 PRODUCT NAME.....PASTE WAX  
 PRODUCT USES.....Polish.  
 CHEMICAL FAMILY.....Hydrocarbon based blend.

SECTION 02 : COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	%	T.L.V.	C.A.S. #	LD/50, ROUTE, SPECIES	LC/50, ROUTE, SPECIES
PETROLEUM DISTILLATES	40 - 75	Not Available	64741-65-7	> 8000 mg/kg Oral (Rat)	>5900 mg/kg 4 Hours Inhalation (Rat)

SECTION 03 : HAZARDS IDENTIFICATION

ROUTE OF ENTRY:

SKIN CONTACT.....Can cause moderate skin irritation, defatting and dermatitis.  
 SKIN ABSORPTION.....Not available.  
 INHALATION.....See "EFFECTS OF CHRONIC EXPOSURE", below.  
 INHALATION CHRONIC.....Breathing of high vapour concentrations could cause dizziness, headache or even unconsciousness.  
 INGESTION.....Can cause gastro-intestinal irritation, nausea, vomiting and diarrhea.  
 Small amounts of liquid aspirated into respiratory system could cause severe health effects (e.g. Bronchopneumonia or Pulmonary Edema).  
 EYE CONTACT.....Contains materials that are moderately irritating to the eyes.  
 EFFECTS OF ACUTE EXPOSURE.....Refer to "ROUTE ENTRY" section.  
 EFFECTS OF CHRONIC EXPOSURE.....Prolonged or repeated skin contact may cause drying or cracking of the skin. Product is believed to have low toxicity for other chronic exposures.

SECTION 04 : FIRST AID MEASURES

EYE CONTACT.....Check for and remove any contact lenses. Immediately flush with water for a minimum of 20 minutes and get medical attention.  
 SKIN CONTACT.....Remove contaminated clothing. Wash affected area with water and soap. Seek medical attention if irritation occurs or persists.  
 INHALATION.....Remove patient to fresh air. If not breathing, trained personnel should administer artificial respiration. Get medical attention.  
 INGESTION.....Get immediate medical attention.  
 ADDITIONAL INFORMATION.....Contact your local poison control centre.

PRODUCT : PASTE WAX

-----  
SECTION 05 : FIRE FIGHTING MEASURES  
-----

FLAMMABILITY.....Combustible.  
SPECIAL PROCEDURES.....A self-contained breathing apparatus is required for fire fighting personnel. Use water spray to cool fire exposed surfaces and to protect personnel.  
FLASH POINT (METHOD)..... 42 C TAG Closed Cup (Concentrate)  
AUTO IGNITION TEMPERATURE.....227 C  
UPPER FLAMMABLE LIMIT (% VOL).... 6.00  
LOWER FLAMMABLE LIMIT (% VOL).... 1.10  
EXTINGUISHING MEDIA.....Alcohol foam, CO2 or dry chemical.  
HAZARDOUS COMBUSTION PRODUCTS...Oxides of Carbon (CO and CO2). Smoke. Toxic fumes.  
SENSITIVITY TO MECHANICAL.....Not available.  
IMPACT  
SENSITIVITY TO STATIC.....Not available.  
DISCHARGE

-----  
SECTION 06 : ACCIDENTAL RELEASE MEASURES  
-----

LEAK/SPILL.....Ventilate. Remove all sources of ignition, open flames, sparks and heaters. Wear protective gear (See SECTION 8). Small spills can be wiped. Large spills must be collected for disposal. Use a non-combustible absorbent inorganic material. Prevent run-off into drains, sewers and other waterways. CAUTION: Surfaces may be slippery after use, clean thoroughly with a mineral spirits based cleaner.

-----  
SECTION 07 : HANDLING AND STORAGE  
-----

HANDLING PROCEDURES.....Avoid skin and eye contact. Avoid breathing vapours. Use adequate ventilation. Keep away from heat, sparks and open flame.  
STORAGE NEEDS.....Store away from oxidizing materials and all sources of ignition,. Store in a dry, well ventilated area.

-----  
SECTION 08 : EXPOSURE CONTROLS / PERSONAL PROTECTION  
-----

PROTECTIVE EQUIPMENT:  
EYE/TYPE.....Safety glasses.  
RESPIRATORY/TYPE.....If used indoors on a continuous basis or if the TLV is exceeded, the use of a cartridge type respirator (NIOSH/MSHA approved) is recommended.  
GLOVES/ TYPE.....Wear impervious gloves (Neoprene or Rubber).  
CLOTHING/TYPE.....Not applicable.  
FOOTWEAR/TYPE.....Not applicable.  
OTHER/TYPE.....Eye bath and safety shower.  
VENTILATION REQUIREMENTS.....Natural or mechanical (Explosion Proof) ventilation to keep vapour levels well below the TLV.

-----  
SECTION 09 : PHYSICAL AND CHEMICAL PROPERTIES  
-----

PHYSICAL STATE.....Paste  
ODOUR.....Mild odour.  
SPECIFIC GRAVITY.....0.70 - 0.80  
ODOUR THRESHOLD (ppm).....Not available.  
VAPOUR PRESSURE..... 115 mmHg @ 38 C

PRODUCT : PASTE WAX

---

## SECTION 09 : PHYSICAL AND CHEMICAL PROPERTIES

---

VAPOUR DENSITY (AIR=1).....Not available.  
EVAPORATION RATE.....> 1.00 (NBUAC = 1)  
BOILING POINT (deg C).....150 C - 200 C  
pH.....Not applicable  
SOLUBILITY IN WATER (% W/W).....Negligible.  
COEFFICIENT OF WATER\OIL.....Not available.  
DISTRIBUTION  
FREEZING POINT.....< -5 C  
MELTING POINT (deg C).....Not applicable  
MOLECULAR WEIGHT.....Not applicable

---

## SECTION 10 : STABILITY AND REACTIVITY

---

INCOMPATIBILITY.....Strong acids and strong bases. Oxidizing agents.  
REACTIVITY CONDITIONS.....Thermal.  
HAZARDOUS PRODUCTS OF.....Oxides of Carbon (CO and CO2)  
DECOMPOSITION

---

## SECTION 11 : TOXICOLOGICAL INFORMATION

---

EXPOSURE LIMIT OF MATERIAL.....See "HAZARDOUS INGREDIENTS" in SECTION 2.  
IRRITANCY OF MATERIAL.....Moderate.  
SENSITIZING CAPABILITY OF.....Not available.  
MATERIAL  
CARCINOGENICITY OF MATERIAL.....No ingredients are listed as a carcinogen by NIOSH, IARC and ACGIH. No information is available and no adverse carcinogenic effects are anticipated.  
TERATOGENICITY.....No information is available and no adverse teratogenicity effects are anticipated.  
MUTAGENICITY.....No information is available and no adverse mutagenicity effects are anticipated.  
REPRODUCTIVE EFFECTS.....No information is available and no adverse reproductive effects are anticipated.  
SYNERGISTIC MATERIALS.....Not available.

---

## SECTION 12 : ECOLOGICAL INFORMATION

---

ENVIRONMENTAL.....Not available. Can be dangerous if allowed to enter drinking water intakes. Product has an unaesthetic appearance and can be a nuisance. Do not contaminate domestic or irrigation water supplies, lakes, streams, ponds and rivers.  
BIODEGRADABILITY.....Not available. The solvent portion of this product is biodegradable and vaporizes rapidly.

---

## SECTION 13 : DISPOSAL CONSIDERATIONS

---

WASTE DISPOSAL.....Consult an expert in hazardous waste for proper disposal. Prevent run-off into drains, sewers and other water-ways. To be disposed of in accordance with current Local, Provincial and Federal regulations.

PRODUCT : PASTE WAX

SECTION 14 : TRANSPORT INFORMATION

T.D.G. CLASSIFICATION.....Not regulated.

SECTION 15 : REGULATORY INFORMATION

CPR COMPLIANCE.....This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

WHMIS CLASSIFICATION.....Class B Div.3 Class D Div.2 Subdiv.B

SECTION 16 : OTHER INFORMATION

IMPORTANT:.....The information on this Material Safety Data Sheet is furnished without warranty, expressed or implied. All the information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations for the accuracy or sufficiency.

CANUTECH EMERGENCY (613) 996-6666

ALTHOUGH THE INFORMATION PRESENTED HEREIN IS, TO THE BEST OF OUR KNOWLEDGE, TRUE AND ACCURATE, NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, IS MADE REGARDING THE INFORMATION PRESENTED. WE ASSUME NO LIABILITY FOR INCIDENTAL, CONSEQUENTIAL, OR DIRECT DAMAGES OF ANY KIND, NO MATTER WHAT THE CAUSE, INCLUDING NEGLIGENCE. THE INFORMATION PRESENTED IN THIS DOCUMENT IS FURNISHED TO YOU, FOR YOUR USE ON PRODUCTS OR PROCESSES SUPPLIED BY US TO YOU.